



VERIFICATION

Report No.: FV030527

Date: 2010/03/17

Applicant : **ICP DAS CO., LTD.**

No. 111, Kuangfu N. Rd., Hukon Shiang, Hsinchu, Taiwan 303,
R.O.C.

NOT TRANSFERABLE

Verification is hereby issued to the named GRANTEE and is VALID ONLY for the equipment identified hereon for use under the rules and regulation listed below.

Name of Grantee: : ICP DAS CO., LTD.

Equipment Description : ICP DAS with Converter

Model No. : WP-8131 (Please refer to Additional information in Appendix
1)

Trade Name : ICP DAS

Type designation : Appendix 1 to Report No.: FV030527

Applicable Regulation : FCC Part 15, Subpart B

Classification of ITE : Class A

Note(s):

- (1) See attached Report dated **Mar. 17, 2010** of type For detail and conditions of this Verification.
- (2) Test methods employed conform to the Standard Operating Procedures of SPORTON INTERNATIONAL INC.

In correspondence concerning this Verification,
Please refer to the date, Grantee Name and Model No.

Additional information in Appendix 1

A handwritten signature in blue ink that reads "Castries Huang" followed by the date "Mar. 17, 2010".

Castries Huang

SPORTON INTERNATIONAL INC.



Additional Information

The models listed below are series model to WP-8131.

Main	Operating System	Software	Diversity
I-87082W			2-channel Counter/Frequency Module
I-7088			8-Channel PWM Output and 8-Channel High Speed Counter Module
I-7088D			8-Channel PWM Output and 8-Channel High Speed Counter Module With LED
I-7510A			Isolated RS-422/485 Repeater/Converter
I-7522			Embedded communication controller with one RS-485 and two RS-232
I-7522D			Embedded communication controller with one RS-485 and two RS-232 With LED
I-7188E2-MTCP			Modbus/TCP Embedded Controller (Ethernet enables Modbus commands to run over TCP/IP)
I-7188E2D-MTCP			Modbus/TCP Embedded Controller (Ethernet enables Modbus commands to run over TCP/IP) With LED
ET-7019			8-channel Analog Input with High Voltage Protection and 4-channel Isolated Output Module
ET-7026			6-channel Analog Input, 2-channel Analog Output, 2-channel Digital Input And 2-channel Digital Output Module
ET-7044			8-channel Isolated Sink Type Open Collector Output and 8-channel Isolated Digital Input Module with 32-bit Counters
PET-7044			8-channel Isolated Sink Type Open Collector Output and 6-channel Isolated Digital Input Module with PoE
PET-7051			16-channel Isolation Digital Input with PoE
PET-7067			8-Channel Power Relay Output Module with PoE
WP-8131	Windows CE		Standard WinPAC-8000 with 1 I/O slots (2-Port USB 1-Port VGA 2-Port Ethernet 2-Port RS-232/485)
WP-8136	Windows CE	ISaGRAF & InduSoft	Standard WinPAC-8000 with 1 I/O slots (2-Port USB 1-Port VGA 2-Port Ethernet 2-Port RS-232/485)
WP-8137	Windows CE	ISaGRAF	Standard WinPAC-8000 with 1 I/O slots (2-Port USB 1-Port VGA 2-Port Ethernet 2-Port RS-232/485)
WP-8139	Windows CE	InduSoft	Standard WinPAC-8000 with 1 I/O slots (2-Port USB 1-Port VGA 2-Port Ethernet 2-Port RS-232/485)
WP-8431	Windows CE		Standard WinPAC-8000 with 4 I/O slots (2-Port USB 1-Port VGA 2-Port Ethernet 4-Port RS-232/485)
WP-8436	Windows CE	ISaGRAF & InduSoft	Standard WinPAC-8000 with 4 I/O slots (2-Port USB 1-Port VGA 2-Port Ethernet 4-Port RS-232/485)
WP-8437	Windows CE	ISaGRAF	Standard WinPAC-8000 with 4 I/O slots (2-Port USB 1-Port VGA 2-Port Ethernet 4-Port RS-232/485)
WP-8439	Windows CE	InduSoft	Standard WinPAC-8000 with 4 I/O slots (2-Port USB 1-Port VGA 2-Port Ethernet 4-Port RS-232/485)
WP-8831	Windows CE		Standard WinPAC-8000 with 8 I/O slots (2-Port USB 1-Port VGA 2-Port Ethernet 4-Port RS-232/485)
WP-8836	Windows CE	ISaGRAF & InduSoft	Standard WinPAC-8000 with 8 I/O slots (2-Port USB 1-Port VGA 2-Port Ethernet 4-Port RS-232/485)
WP-8837	Windows CE	ISaGRAF	Standard WinPAC-8000 with 8 I/O slots (2-Port USB 1-Port VGA 2-Port Ethernet 4-Port RS-232/485)
WP-8839	Windows CE	InduSoft	Standard WinPAC-8000 with 8 I/O slots (2-Port USB 1-Port VGA 2-Port Ethernet 4-Port RS-232/485)
LP-8131	Linux kernel		Standard WinPAC-8000 with 1 I/O slots (2-Port USB 1-Port VGA 2-Port Ethernet 2-Port RS-232/485)
LP-8431	Linux kernel		Standard WinPAC-8000 with 4 I/O slots (2-Port USB 1-Port VGA 2-Port Ethernet 4-Port RS-232/485)
LP-8831	Linux kernel		Standard WinPAC-8000 with 8 I/O slots (2-Port USB 1-Port VGA 2-Port Ethernet 4-Port RS-232/485)

Please refer to user manual.